

**From:**  
**To:** [REDACTED]  
**CC:** [REDACTED]  
**Sent:** 2/1/2021 4:08:11 PM  
**Subject:** RE: WFGC approved projects

I am asking all of the PM to get

---

[REDACTED]  
Project Manager  
Mobile [REDACTED]  
Office [REDACTED]  
Intern [REDACTED]  
Email: [REDACTED]  
***Pacific Gas and Electric Company***

---

**From:** [REDACTED]  
**Sent:** Monday, February 1, 2021 2:55 PM  
**To:** [REDACTED]  
**Cc:** [REDACTED]  
**Subject:** RE: WFGC approved projects

[REDACTED]

I see verbiage from [REDACTED] in the EDRS about 2022 or 2022+ timeframe... Should we be prioritizing these approved projects that will be built in 2021? I do realize we need to start on some of these to meet the 2022 timeframe, but being where we are for our 2021 target, I want to ensure the estimating resources are on the right work at the right time.. Thoughts? -

---

**From:** [REDACTED]  
**Sent:** Monday, February 1, 2021 2:34 PM  
**To:** [REDACTED]  
**Cc:** [REDACTED]  
**Subject:** WFGC approved projects

---

Order                      Name

[REDACTED]	ECOP - CLAYTON 2212 - H01-LR2951	<a href="#">2021-027</a>
[REDACTED]	ECOP - SILVERADO 2104 - H05-LR726	<a href="#">2021-003</a>
[REDACTED]	ECOP - LAS GALLINAS A 1105 - H01-LR99904	<a href="#">2021-027</a>
[REDACTED]	ECOP - SILVERADO 2102 - H02-LR58626	<a href="#">2021-002</a>
[REDACTED]	ECOP - SILVERADO 2102 - H01-LR58626	<a href="#">2021-003</a>
[REDACTED]	ECOP - FULTON 1107 - H02-LR604	<a href="#">2021-027</a>
[REDACTED]	SH - KONOCTI 1102 LR 965078	<a href="#">2021-019</a>

[REDACTED]	SH - UPPER LAKE 1101 CB	<a href="#">2021-03151</a>
	SH - BUCKS CREEK 1101 CB	<a href="#">2021-03744</a>
	SH - MARIPOSA 2102 LR 241564	<a href="#">2021-02743</a>
	CWSP - PUTAH CREEK [REDACTED]	<a href="#">2021-02904</a>
	CWSP - MARIPOSA [REDACTED] PH 1	<a href="#">2021-03302</a>
	CWSP - VOLTA [REDACTED]	<a href="#">2021-03779</a>

Thank You,

[REDACTED]  
**Sr. PROJECT MANAGER – Wildfire Systems Hardening Projects**  
 Pacific Gas and Electric  
 Mobile: [REDACTED]  
 Office: [REDACTED]