

From: [REDACTED]
To: [REDACTED]
Sent: 4/9/2021 9:27:59 AM
Subject: RE: Site Visit Updates
Attachments: Site Visit Updates

Hi [REDACTED]

Caltrans representative will be [REDACTED]
CalFire will be attending. Battalion Chief [REDACTED] will be the representative.

No one additional from our team will be attending other than those I listed in my email last night. I've updated the list below with the Caltrans and CalFire details. We haven't gotten a response from the county which I'm told is typical. It sounds like Plumas county is pretty laid back and we don't expect permit issues. If we hear from them we will extend the invite.

Attendance:



Circuit	Project / Device	2019 Risk Rank	2021 Risk Rank	2021 POI Rank	2021 Consequence Rank
[REDACTED]	[REDACTED]	1365	11	181	200

[REDACTED] PMP
Project Manager
Mobile: [REDACTED]
Office: [REDACTED]
Internal: [REDACTED]
Email: [REDACTED]
Pacific Gas and Electric Company

From: [REDACTED]
Sent: Friday, April 9, 2021 7:24 AM

To: [REDACTED]
Subject: RE: Site Visit Updates

*******CAUTION: This email was sent from an EXTERNAL source. Think before clicking links or opening attachments.*******

Good with the location change. Have updated the schedule.

Have our call with [REDACTED] at 10 am your time, and will address the CalTRANS concern you shared. I'm confident of the response as we discussed yesterday, but just want to get it on [REDACTED] radar.

All I need from you is...

1. Complete the Project Table
2. Anyone else from your team that will be participating
3. Has CalFIRE acknowledge attendance?

From: [REDACTED]
Sent: Thursday, April 8, 2021 6:12 PM
To: [REDACTED]
Subject: RE: Site Visit Updates

[EXTERNAL EMAIL] DO NOT CLICK links or attachments unless you have confirmed with the sender and know the content is safe.

Great. Are you okay with the change in address? If so, I'll relay to the agency folks.

[REDACTED] PMP
Project Manager
Mobile: [REDACTED]
Office: [REDACTED]
Internal: [REDACTED]
Email [REDACTED]
Pacific Gas and Electric Company

From: [REDACTED]
Sent: Thursday, April 8, 2021 5:11 PM
To: [REDACTED]
Subject: Re: Site Visit Updates

*******CAUTION: This email was sent from an EXTERNAL source. Think before clicking links or opening attachments.*******

Thanks! I'm good with 8 am. Wasn't sure how much windshield time we'd have. I'll defer to your good judgment.

Get [Outlook for Android](#)

From: [REDACTED]
Sent: Thursday, April 8, 2021 6:08:14 PM
To: [REDACTED]

Subject: Site Visit Updates

[EXTERNAL EMAIL] DO NOT CLICK links or attachments unless you have confirmed with the sender and know the content is safe.


H [REDACTED]

We could start at 8am and have no problem being back by 1pm and likely noon. That said if the team would like to keep it at a 7am meet up, I have no problem with that.

The suggestion was made today that we start our meeting at Starbucks in Chico so those that may have been traveling to get to Chico will have access to the restroom before we head to the job site. I think this would be a wise move if it's not too late to change. The address is as follows.

Starbucks
2485 Notre Dame Blvd 750, Chico, CA 95928

Attendance:



Caltrans – (1 or 2 individuals are committed. I am waiting to receive the names)

I should hear on Plumas County tomorrow. They will likely not be involved on this project. I'll know tomorrow. Additionally, [REDACTED] was going to reach out to Cal Fire this afternoon. I will have to follow up with those attendees if any tomorrow.

Circuit	Project / Device	2019 Risk Rank	2021 Risk Rank	2021 POI Rank	2021 Consequence Rank
[REDACTED]	[REDACTED]	1365	11	181	200

Please let me know as soon as you are able to get something we can give to the agencies in writing that explains the intent of the meeting to help set expectations.

[REDACTED] PMP

Project Manager

Mobile: [REDACTED]

Office: [REDACTED]

Internal: [REDACTED]

Email: [REDACTED]

