| | | | FRANSPO | ORTATION | 1 | | | Page 1 of 3 | | |
|--|---|---|---|---|--|---|--|---|--|--|
| The serve of provint (Learly your answers. Complete <u>ALL</u> fields, write "N/A" if not applicable. This application is not complete until all requirements have been approved. Permission is requested to encroach on the State Highway right-of-way as follows: I. COUNTY I. COUNTY I. COUNTY I. COUNTY I. COUNTY I. CONCOW/ BERRY CREEK/PULGA CONCOW/ BERRY CR | TR-0100 (REV. 0 | STANDARD ENCROACHMENT PERMIT APPLICATION | | | | | | | | |
| This application is not complete until all requirements have been approved. Permission is requested to encroach on the State Highway right-of-way as follows: I. COUNTY I. ROUTE 0.3-BUT-70-R41-44.1 ADDRESS OR STREET NAME S. CITY C. ADDRESS OR STREET NAME S. CITY ADDRESS OR STREET NAME S. CITY CONCOW/ BERRY CREEK/PULGA CONCOW/ BERRY CREEK/PULGA 6. CROSS STREET INAME S. CITY CONCOW/ BERRY CREEK/PULGA DATE OF SIMPLEX STAMP PULGA ROAD WITHIN B. WORK TO BE PERFORMED BY I. ESTIMATED START DATE CONN FORCES CONTRACTOR 711/2020 711/2020 TI. SUFFACE TYPE DEXCAUNTOR SUFFACE TYPE IS. PROUDT TYPE CONN FORCER CONTRACTOR SINPLEX STAMP FUNDING SOURCE(S) SINPLANTER SUFFACE TYPE DEVELOWS SUFFACE TYPE SINPLEX STAMP FUNDING SOURCE(S) SINPLANTER MAC. WDITH LESTIMATED COST WITHIN STATE HIGHWAY RIGHT-OF-WAY FUNDING SOURCE(S) SINPLEX STAMP FUNDING SOURC | TR-0100 (REV. 03/2015) | | | | | | PERMIT NO. | | | |
| Permission is requested to encroach on the State Highway right-of-way as follows: DimPLEX STAMP 1. GOUNTY 2. ROUTE 70 0.3-BUT-70-R41-44.1 4. ADDRESS OR STREET (Distance and direction from projed site) 7. FORTION OF RIGHT-OF-WAY DATE OF SIMPLEX STAMP 9ULGA ROAD CONCOW/ BERRY CREEK/PULGA A.TE OF SIMPLEX STAMP 0. work to be performed direction from projed site) 7. FORTION OF RIGHT-OF-WAY DATE OF SIMPLEX STAMP 10. WIN FORCES CONTRACTOR 7/1/2020 7/1/2021 11. WAX DEPTH Avg. WiDTH LENGTH 12. ESTIMATED COST WITHIN STATE HIGHWAY RIGHT-OF-WAY FUNDING SOURCE(s) TOT 18,000' 13. PRODUCT TYPE DIAMETER VOLTAGE / PSIG 14. CALTRANS' PROJECT CODE (ID) 14. CONDDUIT 4" and 6" 12.kV N/A 15. Double Permit Parent Permit Number 35170663 14. CALTRANS' PROJECT CODE (ID) 16. Have your plans been reviewed by another Caltrans branch? IN/A 35170663 16. 16. Have your plans been reviewed by another Caltrans branch? IN/D YES (IF 'YES') Who? 17. Completely describe work to be done within STA | | | | | | DIST/CO/RT | DIST/CO/RTE/PM | | | |
| BUTTE 70 03-BUT-70-R41-44.1 4. ADDRESS OR STREET NAME 6. CITY CONCOW/BERRY CREEK/PULGA 6. CROSS STREET (Distance and direction from project site) 7. PORTION OF RIGHT-OF-WAY DATE OF SIMPLEX STAMP PULGA ROAD WITHIN DATE OF SIMPLEX STAMP 8. WORK TO BE PERFORMED BY 9. ESTIMATED START DATE 10. ESTIMATED COMPLETION DATE 20 WIN FORCES CONTRACTOR 7/1/2020 7/1/2021 11. MAX. DEPTH AVG. OBETH AVG. WIDTH LENGTH 12. ESTIMATED COST WITHIN STATE HIGHWAY RIGHT-OF-WAY FUNDING SOURCE(5) DIRT 11. 13. PRODUCTYPE DIAMETER VOLTAGE / PSIG 14. CALTRANS' PROJECT CODE (ID) 14. DATE OF SIMPLEX: STAME Applicant's Reference Number / Utility Work Order Number 35170663 15. Double Permit Parent Permit Number N/A N/A 17. Completely describe work to be done within STATE Highway right-of-way: Atlach 6 complete sets of plans (folded to 8.5" x11") and any applicable specifications, calculations, maps, etc. AS PART OF THE CAMP FIRE REBUILD AND ELECTRIC CISYSTEM HARGED NING FFORTS TO REDUCE THE RISK OF FUTURE WILDFIRE: DOUTY FOR A SPAN OF A PRPROXIMATELY 3 MILES. THIS UNDERGROUND LINE WILL REPLACE APPRRIMATELY 10 MILES | | | | | | SIMPLEX S | TAMP | | | |
| BUTTE 70 03-BUT-70-R41-44.1 4. ADDRESS OR STREET NAME 6. CITY CONCOW/BERRY CREEK/PULGA 6. CROSS STREET (Distance and direction from project site) 7. PORTION OF RIGHT-OF-WAY DATE OF SIMPLEX STAMP PULGA ROAD WITHIN DATE OF SIMPLEX STAMP 8. WORK TO BE PERFORMED BY 9. ESTIMATED START DATE 10. ESTIMATED COMPLETION DATE 20 WIN FORCES CONTRACTOR 7/1/2020 7/1/2021 11. MAX. DEPTH AVG. OBETH AVG. WIDTH LENGTH 12. ESTIMATED COST WITHIN STATE HIGHWAY RIGHT-OF-WAY FUNDING SOURCE(5) DIRT 11. 13. PRODUCTYPE DIAMETER VOLTAGE / PSIG 14. CALTRANS' PROJECT CODE (ID) 14. DATE OF SIMPLEX: STAME Applicant's Reference Number / Utility Work Order Number 35170663 15. Double Permit Parent Permit Number N/A N/A 17. Completely describe work to be done within STATE Highway right-of-way: Atlach 6 complete sets of plans (folded to 8.5" x11") and any applicable specifications, calculations, maps, etc. AS PART OF THE CAMP FIRE REBUILD AND ELECTRIC CISYSTEM HARGED NING FFORTS TO REDUCE THE RISK OF FUTURE WILDFIRE: DOUTY FOR A SPAN OF A PRPROXIMATELY 3 MILES. THIS UNDERGROUND LINE WILL REPLACE APPRRIMATELY 10 MILES | | | | | | _ | | | | |
| 4. ADDRESS OR STREET NAME 6. CITY HIGHWAY 70 CONCOW BERRY CREEK/PULGA 6. CROSS STREET (Distance and direction from project site) 7. PORTION OF RIGHT-OF-WAY PULGA ROAD WITHIN 8. WORK TO BE PERFORMED BY 9. ESTIMATED START DATE 10. OWN FORCES CONTRACTOR 11. WAX. DEPTH AVG. DEPTH 20 WN FORCES CONTRACTOR 12. ESTIMATED COST WITHIN STATE HIGHWAY RIGHT-OF-WAY FUNDING SOURCE(6) 13. ESTIMATED COST WITHIN STATE HIGHWAY RIGHT-OF-WAY FUNDING SOURCE(6) 14. CALTRANS' PROJECT CODE (ID) STATE 10. CONDUIT LIBGTH VOLTAGE / PSIG 14. CALTRANS' PROJECT CODE (ID) PRIVATE 15. Double Permit Parent Permit Number | | | | D NOTICE IN | | | | | | |
| | 4. ADDRESS OR S | | 57 - 190-50 | 5. CITY | 1200 Historino—si Hol Hol Hold Hold Sola II IS (Col De D | | | | | |
| PULGA ROAD WITHIN 8. WORK TO BE PERFORMED BY 9. ESTIMATED START DATE 10. ESTIMATED COMPLETION DATE 0. WN FORCES CONTRACTOR 7/1/2020 7/1/2021 11. AVG. DEPTH AVG. DEPTH AVG. WIDTH LENGTH SURFACE TYPE 12. ESTIMATED COST WITHIN STATE HIGHWAY RIGHT-OF-WAY FUNDING SOURCE(S) Image: CONDUCT TYPE DIAMETER VOLTAGE / PSIG 14. CALTRANS' PROJECT CODE (ID) 13. PRODUCT TYPE DIAMETER VOLTAGE / PSIG 14. CALTRANS' PROJECT CODE (ID) 14. PODUCT TYPE DIAMETER VOLTAGE / PSIG 14. CALTRANS' PROJECT CODE (ID) 14. PIPES CONDUIT 4" and 6" 12kV N/A Applicant's Reference Number / Utility Work Order Number | | | | CONCC | W/ BERRY CREEK/PUL | A | | | | |
| 8. WORK TO BE PERFORMED BY 9. ESTIMATED START DATE 10. ESTIMATED COMPLETION DATE [] OWN FORCES | | | ect site) | | | DATE OF S | MPLEX STAN | MP | | |
| Image: Contractor 7/1/2020 7/1/2021 11. AVG. DEPTH AVG. DEPTH AVG. WIDTH LENGTH SURFACE TYPE EXCAVATION 56" 50" 10" 18,000' DIRT 12. ESTIMATED COST WITHIN STATE HIGHWAY RIGHT-OF-WAY FUNDING SOURCE(S) Image: Cost Within State HighWay RIGHT-OF-WAY FUNDING SOURCE(S) PIPES PRODUCT TYPE DIAMETER VOLTAGE / PSIG 14. CALTRANS' PROJECT CODE (ID) 13. PIPES PRODUCT TYPE DIAMETER VOLTAGE / PSIG 14. CALTRANS' PROJECT CODE (ID) 14. Applicant's Reference Number / Utility Work Order Number | | | | | | 10. ESTIMAT | 10. ESTIMATED COMPLETION DATE | | | |
| EXCAVATION 56" 50" 10" 18,000' DIRT 12. ESTIMATED COST WITHIN STATE HIGHWAY RIGHT-OF-WAY FUNDING SOURCE(S) \$ 1,000,000.00 PRIVATE 13. PRODUCT TYPE DIAMETER VOLTAGE / PSIG 14. CALTRANS' PROJECT CODE (ID) PIPES CONDUIT 4" and 6" 12kV N/A 15. Double Permit Parent Permit Number N/A Applicant's Reference Number / Utility Work Order Number 35170663 16. Have your plans been reviewed by another Caltrans branch? NO YES (If "YES") Who? 17. Completely describe work to be done within STATE Highway right-of-way: Attach 6 complete sets of plans (folded to 8.5" x 11") and any applicable specifications, calculations, maps, etc. AS PART OF THE CAMP FIRE REBUILD AND ELECTRIC SYSTEM HARDENING EFFORTS TO REDUCE THE RISK oF FUTURE WILDFIRE! PG&E IS PROPOSING TO INSTALL A NEW UNDERGROUND ELECTRIC DISTRIBUTION POWER LINE WITHIN THE HIGHWAY 70 CORRID BUTTE COUNTY FOR A SPAN OF APPROXIMATELY 3 MILES. THIS UNDERGROUND NO NO WEL LINE WITHIN THE HIGHWAY 70 CORRID BUTTE COUNTY FOR A SPAN OF APPROXIMATELY 3 MILES. THIS UNDERGROUND NO NO WEL LINE WITH FIRE CAMP FIRE RESTORATION, THIS CONVERSION TO UNDERGROUND AND INSTALLATION OF A NEW, SHORTER CIRCUIT FROM CRESTA NULL REPLACE APPRXIMATELY 100 MILES OF | | | | | | | | | | |
| 12. ESTIMATED COST WITHIN STATE HIGHWAY RIGHT-OF-WAY FUNDING SOURCE(S) 13. | 21012 | ALTER PROPERTY AND AND A THE DAMAGE LEVEL AND ADDRESS. | The second product of the second | | | 12.100 Part of an Inc. | YPE | | | |
| 13. PRODUCT TYPE DIAMETER VOLTAGE / PSIG 14. CALTRANS' PROJECT CODE (ID) 14. CONDUIT 4" and 6" 12kV N/A 15. Double Permit Parent Permit Number N/A 16. Double Permit Parent Permit Number N/A 16. Have your plans been reviewed by another Caltrans branch? N Yes (if "YES") Who? 17. Completely describe work to be done within STATE Highway right-of-way: Attach 6 complete sets of plans (folded to 8.5" x 11") and any applicable specifications, calculations, maps, etc. AS PART OF THE CAMP FIRE REBUILD AND ELECTRIC SYSTEM HARDENING EFFORTS TO REDUCE THE RISK OF FUTURE WILDFIRE: PG&E IS PROPOSING TO INSTALL A NEW UNDERGROUND ELECTRIC DISTRIBUTION POWER LINE WITHIN THE HIGHWAY 70 CORRID BUCKS CREEK 1101 12XV ELECTRIC OVERHEAD LINE THAT WAS DAMAGED DURING THE CAMP FIRE. ASP PART OF THE CAMP FIRE RESTORATION, THIS CONVERSION TO UNDERGROUND AND INSTALLATION OF A NEW, SHORTER CIRCUIT FROM CRESTA WILL REE THE FIRE RISK SIGNIFICANTLY OVER REBUILDING SAID OVERHEAD ELECTRIC LINE IN ITS PREVIOUS LOCATION OF ELEVATED/EXT THE FIRE RISK SIGNIFICANTLY OVER REBUILDING SAID OVERHEAD ELECTRIC LINE IN ITS PREVIOUS LOCATION OF ELEVATED/EXT THE CAMPET AREA ACCOSS NATIONAL FOREST LANDS. PG&E HOPES TO INSTALL THE NEW ELECTRIC UNDERGROUND FACILITES THE FIRE RISK SIGNIFICANTLY OVER REBUIL | 12. ESTIMATED C | | | | | | | | | |
| PIPES CONDUIT 4" and 6" 12kV N/A 15. Double Permit Parent Permit Number N/A Applicant's Reference Number / Utility Work Order Number 35170663 16. Have your plans been reviewed by another Caltrans branch? Image: No YES (If "YES") Who? 17. Completely describe work to be done within STATE Highway right-of-way: Attach 6 complete sets of plans (folded to 8.5" x 11") and any applicable specifications, calculations, maps, etc. AS PART OF THE CAMP FIRE REBUILD AND ELECTRIC SYSTEM HARDENING EFFORTS TO REDUCE THE RISK OF FUTURE WILDFIRE: PG&E IS PROPOSING TO INSTALL A NEW UNDERGROUND LELECTRIC DISTRIBUTION POWER LINE WITHIN THE HIGHWAY 70 CORRID BUTTE COUNTY FOR A SPAN OF APPROXIMATELY 3 MILES. THIS UNDERGROUND INE WILL REPLACE APPRXIMATELY 10 MILES OF BUTTE COUNTY FOR A SPAN OF APPROXIMATELY 3 MILES. THIS UNDERGROUND INE WILL REPLACE APPRXIMATELY 10 MILES OF BUTTE COUNTY FOR ASPAN OF APPROXIMATELY 3 MILES. THIS UNDERGROUND INE WILL REPLACE APPRXIMATELY 10 MILES OF BUTTE COUNTY FOR ASPAN OF APPROXIMATELY 3 MILES. THIS UNDERGROUND INE WILL REPLACE APPRXIMATELY 10 MILES OF BUTTE COUNTY FOR VER REBUILDING SAID OVERHEAD LINE THAT WAS DAMAGED DURING THE CAMP FIRE. AS PART OF THE CAMP FIRE RESTORATION, THIS CONVERSION TO UNDERGROUND AND DISTALL ATION OF A NEW, SHORTER CIRCULT FROM CRESTA WILL REPLACE APPRXIMATELY 3 MILES OF PUES SIGNIFICO | | \$ 1,000,000.00 | | | FEDERAL | | LOCAL | ✓ PRIVATE | | |
| Image: Control of the second secon | 11.00-0040.0217 | | | | Stra Bound States Character and States and | 14. CALTRA | | | | |
| Applicant's Reference Number / Utility Work Order Number 35170663 16. Have your plans been reviewed by another Caltrans branch? Image: No Pressure Pres | | CONDOLL | 4 6 | anuo | | | | IWA | | |
| 16. Have your plans been reviewed by another Caltrans branch? ☑ NO ☐YES (If "YES") Who? 17. Completely describe work to be done within STATE Highway right-of-way: Attach 6 complete sets of plans (folded to 8.5" x 11") and any applicable specifications, calculations, maps, etc. AS PART OF THE CAMP FIRE REBUILD AND ELECTRIC SYSTEM HARDENING EFFORTS TO REDUCE THE RISK OF FUTURE WILDFIRES PG&E IS PROPOSING TO INSTALL A NEW UNDERGROUND ELECTRIC DISTRIBUTION POWER LINE WITHIN THE HIGHWAY 70 CORRID BUCTS CREEK 1101 12kV ELECTRIC OVERHEAD LINE THAT WAS DAMAGED DURING THE CAMP FIRE. AS PART OF THE CAMP FIRE RESTORATION, THIS CONVERSION TO UNDERGROUND AND INSTALLATION OF A NEW, SHORTER CIRCUIT FROM CRESTA WILL REE THE FIRE RISK SIGNIFICANTLY OVER REBUILDING SAID OVERHEAD ELECTRIC LINE IN ITS PREVIOUS LOCATION OF ELEVATED/EXT THE FIRE RISK SIGNIFICANTLY OVER REBUILDING SAID OVERHEAD ELECTRIC LINE IN ITS PREVIOUS LOCATION OF ELEVATED/EXT THE EARLIEST OPPORTUNITY TO ENSURE SAFE & RELIABLE POWER IS DELIVERED TO THE SURROUNDING AREA OF PULGA. -TRENCH 10" WIDE x 17,000' x APPROXIMATELY 50" DEEP. -INSTALL (14) #5 BOXES (3' x 5' x 3' 6"). -INSTALL (14) #5 BOXES (3) DISTRIBUTION POLES & (1) SERVICE CLEARANCE POLE. TRENCH DETAILS: -BACKFILL AND PAVING RESTORATION TO OCCUR. -2" GRIND/OVERLAY OUTSIDE OF THE TRENCH EDGE OF PAVEMENT TO CENTERLINE. -SLURRY BACKFILL AND PAVING RESTORATION TO OCCUR. -3" GRIND/OVERLAY OUTSIDE | | | | D | 1. 100 M MIL | | | | | |
| 17. Completely describe work to be done within STATE Highway right-of-way: Attach 6 complete sets of plans (folded to 8.5" x 11") and any applicable specifications, calculations, maps, etc. AS PART OF THE CAMP FIRE REBUILD AND ELECTRIC SYSTEM HARDENING EFFORTS TO REDUCE THE RISK OF FUTURE WILDFIRES PG&E IS PROPOSING TO INSTALL A NEW UNDERGROUND ELECTRIC DISTRIBUTION POWER LINE WITHIN THE HIGHWAY 70 CORRID BUTTE COUNTY FOR A SPAN OF APPROXIMATELY 3 MILES. THIS UNDERGROUND LINE WILL REPLACE APPRXIMATELY 10 MILES OF BUCKS CREEK 1101 12xV ELECTRIC OVERHEAD LINE THAT WAS DAMAGED DURING THE CAMP FIRE. AS PART OF THE CAMP FIRE RESTORATION, THIS CONVERSION TO UNDERGROUND AND INSTALLATION OF A NEW, SHORTER CIRCUIT FROM CRESTA WILL REE THE FIRE RISK SIGNIFICANTLY OVER REBUILDING SAID OVERHEAD ELECTRIC LINE IN ITS PREVIOUS LOCATION OF ELEVATED/EXT FIRE THREAT AREA ACROSS NATIONAL FOREST LANDS. PG&E HOPES TO INSTALL THE NEW ELECTRIC UNDERGROUND FACILITIES THE EARLIEST OPPORTUNITY TO ENSURE SAFE & RELIABLE POWER IS DELIVERED TO THE SURROUNDING AREA OF PULGA. -TRENCH 10" WIDE x 17,000' x APPROXIMATELY 50" DEEP. -INSTALL (3) #6 BOXES AND (4' x 6' 6" x 5'). -INSTALL (3) #6 BOXES AND (4' x 6' 6" x 5'). -INSTALL (4) TRANSFORMERS (50"W x 52"D x 18"H). -INSTALL (2) RISER POLES (3) DISTRIBUTION POLES & (1) SERVICE CLEARANCE POLE. TRENCH DETAILS: -BACKFILL AND PAVING RESTORATION TO OCCUR. -2" GRIND/OVERLAY OUTSIDE OF THE TRENCH EDGE OF PAVEMENT TO CENTERLINE. -SLURRY BACKFILL PER CALTRANS SPEC 4" MILL & FILL. -ALL WORK TO BE DONE WITHIN CALTRANS ROW. | | | | | | | | | | |
| Attach 6 complete sets of plans (folded to 8.5" x 11") and any applicable specifications, calculations, maps, etc. AS PART OF THE CAMP FIRE REBUILD AND ELECTRIC SYSTEM HARDENING EFFORTS TO REDUCE THE RISK OF FUTURE WILDFIRES PG&& IS PROPOSING TO INSTALL A NEW UNDERGROUND ELECTRIC DISTRIBUTION POWER LINE WITHIN THE HIGHWAY 70 CORRID BUTTE COUNTY FOR A SPAN OF APPROXIMATELY 3 MILES. THIS UNDERGROUND LINE WILL REPLACE APPRXIMATELY 10 MILES OF BUCKS CREEK 1101 12kV ELECTRIC OVERHEAD LINE THAT WAS DAMAGED DURING THE CAMP FIRE. AS PART OF THE CAMP FIRE RESTORATION, THIS CONVERSION TO UNDERGROUND AND INSTALLATION OF A NEW, SHORTER CIRCUIT FROM CRESTA WILL REP THE FIRE RISK SIGNIFICANTLY OVER REBUILDING SAID OVERHEAD ELECTRIC LINE IN ITS PREVIOUS LOCATION OF ELEVATED/EXT FIRE THREAT AREA ACROSS NATIONAL FOREST LANDS. PG&E HOPES TO INSTALL THE NEW ELECTRIC UNDERGROUND FACILITIES THE EARLIEST OPPORTUNITY TO ENSURE SAFE & RELIABLE POWER IS DELIVERED TO THE SURROUNDING AREA OF PULGA. -TRENCH 10" WIDE x 17,000' x APPROXIMATELY 50" DEEP. -INSTALL (3) #6 BOXES AND (4' x 6' 6" x 5'). -INSTALL (3) #6 BOXES AND (4' x 6' 6" x 5'). -INSTALL (4) TRANSFORMERS (50"W x 52"D x 18"H). -INSTALL (2) RISER POLES (3) DISTRIBUTION POLES & (1) SERVICE CLEARANCE POLE. TRENCH DETAILS: -BACKFILL AND PAVING RESTORATION TO OCCUR. -2" GRIND/OVERLAY OUTSIDE OF THE TRENCH EDGE OF PAVEMENT TO CENTERLINE. -SLURRY BACKFILL PER CALTRANS SPEC 4" MILL & FILL. -SLURRY BACKFILL PER CALTRANS SPEC 4" MILL & FILL. -ALL WORK TO BE DONE WITHIN CALTRANS ROW. | | | | | |) Who? | | | | |
| AS PART OF THE CAMP FIRE REBUILD AND ELECTRIC SYSTEM HARDENING EFFORTS TO REDUCE THE RISK OF FUTURE WILDFIRES PG&E IS PROPOSING TO INSTALL A NEW UNDERGROUND ELECTRIC DISTRIBUTION POWER LINE WITHIN THE HIGHWAY 70 CORRID BUTTE COUNTY FOR A SPAN OF APPROXIMATELY 3 MILES. THIS UNDERGROUND LINE WILL REPLACE APPRXIMATELY 10 MILES OF BUCKS CREEK 1101 12kV ELECTRIC OVERHEAD LINE THAT WAS DAMAGED DURING THE CAMP FIRE. AS PART OF THE CAMP FIRE RESTORATION, THIS CONVERSION TO UNDERGROUND AND INSTALLATION OF A NEW, SHORTER CIRCUIT FROM CRESTA WILL REE THE FIRE RISK SIGNIFICANTLY OVER REBUILDING SAID OVERHEAD ELECTRIC LINE IN ITS PREVIOUS LOCATION OF ELEVATED/EXT FIRE THREAT AREA ACROSS NATIONAL FOREST LANDS. PG&E HOPES TO INSTALL THE NEW ELECTRIC UNDERGROUND FACILITIES THE EARLIEST OPPORTUNITY TO ENSURE SAFE & RELIABLE POWER IS DELIVERED TO THE SURROUNDING AREA OF PULGA. -TRENCH 10" WIDE x 17,000' x APPROXIMATELY 50" DEEP. -INSTALL (14) #5 BOXES (3' x 5' x 3' 6"). -INSTALL (3) #6 BOXES AND (4' x 6' 6" x 5'). -INSTALL (4) TRANSFORMERS (50"W x 52"D x 18"H). -INSTALL (2) RISER POLES (3) DISTRIBUTION POLES & (1) SERVICE CLEARANCE POLE. TRENCH DETAILS: -BACKFILL AND PAVING RESTORATION TO OCCUR. -2" GRIND/OVERLAY OUTSIDE OF THE TRENCH EDGE OF PAVEMENT TO CENTERLINE. -SLURRY BACKFILL PER CALTRANS SPEC 4" MILL & FILL. -ALL WORK TO BE DONE WITHIN CALTRANS ROW. | 17. Completely de | escribe work to be done within S | TATE High | hway right-o | of-way: | | | | | |
| PG&E IS PROPOSING TO INSTALL A NEW UNDERGROUND ELECTRIC DISTRIBUTION POWER LINE WITHIN THE HIGHWAY 70 CORRID BUTTE COUNTY FOR A SPAN OF APPROXIMATELY 3 MILES. THIS UNDERGROUND LINE WILL REPLACE APPRXIMATELY 10 MILES OF BUCKS CREEK 1101 12kV ELECTRIC OVERHEAD LINE THAT WAS DAMAGED DURING THE CAMP FIRE. AS PART OF THE CAMP FIRE RESTORATION, THIS CONVERSION TO UNDERGROUND AND INSTALLATION OF A NEW, SHORTER CIRCUIT FROM CRESTA WILL RED THE FIRE RISK SIGNIFICANTLY OVER REBUILDING SAID OVERHEAD ELECTRIC LINE IN ITS PREVIOUS LOCATION OF ELEVATED/EXT FIRE THREAT AREA ACROSS NATIONAL FOREST LANDS. PG&E HOPES TO INSTALL THE NEW ELECTRIC UNDERGROUND FACILITIES THE EARLIEST OPPORTUNITY TO ENSURE SAFE & RELIABLE POWER IS DELIVERED TO THE SURROUNDING AREA OF PULGA. -TRENCH 10" WIDE x 17,000' x APPROXIMATELY 50" DEEP. -INSTALL (14) #5 BOXES (3' x 5' x 3' 6"). -INSTALL (4) TRANSFORMERS (50"W x 52"D x 18"H). -INSTALL (4) TRANSFORMERS (50"W x 52"D x 18"H). -INSTALL (2) RISER POLES (3) DISTRIBUTION POLES & (1) SERVICE CLEARANCE POLE. TRENCH DETAILS: -BACKFILL AND PAVING RESTORATION TO OCCUR. -2" GRIND/OVERLAY OUTSIDE OF THE TRENCH EDGE OF PAVEMENT TO CENTERLINE. -SLURRY BACKFILL PER CALTRANS SPEC 4" MILL & FILL. -ALL WORK TO BE DONE WITHIN CALTRANS ROW. | Attach 6 complete s | sets of plans (folded to 8.5" x 11") a | and any ap | plicable spe | cifications, calculations, maps, etc. | | | | | |
| -INSTALL (14) #5 BOXES (3' x 5' x 3' 6"). -INSTALL (3) #6 BOXES AND (4' x 6' 6" x 5'). -INSTALL (4) TRANSFORMERS (50"W x 52"D x 18"H). -INSTALL (2) RISER POLES (3) DISTRIBUTION POLES & (1) SERVICE CLEARANCE POLE. TRENCH DETAILS: -BACKFILL AND PAVING RESTORATION TO OCCUR. -2" GRIND/OVERLAY OUTSIDE OF THE TRENCH EDGE OF PAVEMENT TO CENTERLINE. -SLURRY BACKFILL PER CALTRANS SPEC 4" MILL & FILL. -ALL WORK TO BE DONE WITHIN CALTRANS ROW. | A CONTRACTOR IN THE | 1E GAIVIP FIRE REDUILD AINL | ELECTR | RIC SYSTE | EM HARDENING EFFORTS TO | REDUCE THE | RISK OF F | UTURE WILDFIRES, | | |
| -BACKFILL AND PAVING RESTORATION TO OCCUR. -2" GRIND/OVERLAY OUTSIDE OF THE TRENCH EDGE OF PAVEMENT TO CENTERLINE. -SLURRY BACKFILL PER CALTRANS SPEC 4" MILL & FILL. -ALL WORK TO BE DONE WITHIN CALTRANS ROW. | PG&E IS PROPO BUTTE COUNT BUCKS CREEK RESTORATION THE FIRE RISK FIRE THREAT A | OSING TO INSTALL A NEW U Y FOR A SPAN OF APPROXI 1101 12kV ELECTRIC OVER , THIS CONVERSION TO UN SIGNIFICANTLY OVER REB AREA ACROSS NATIONAL FO | JNDERGI MATELY HEAD LIN DERGRO JILDING DREST LI | ROUND EI 3 MILES. NE THAT V OUND AND SAID OVE ANDS. PG | LECTRIC DISTRIBUTION POW THIS UNDERGROUND LINE V WAS DAMAGED DURING THE INSTALLATION OF A NEW, S ERHEAD ELECTRIC LINE IN IT &E HOPES TO INSTALL THE | R LINE WITH L REPLACE AMP FIRE. A ORTER CIRC PREVIOUS L W ELECTRIC | IN THE HIG APPRXIMA ⁻ S PART OF UIT FROM OCATION C C UNDERGF | HWAY 70 CORRIDOR IN TELY 10 MILES OF THE THE CAMP FIRE CRESTA WILL REDUCE OF ELEVATED/EXTREME ROUND FACILITIES AT | | |
| | PG&E IS PROPO BUTTE COUNT BUCKS CREEK RESTORATION THE FIRE RISK FIRE THREAT A THE EARLIEST -TRENCH 10" W -INSTALL (14) # -INSTALL (3) #6 -INSTALL (4) TF | OSING TO INSTALL A NEW L Y FOR A SPAN OF APPROXI 1101 12kV ELECTRIC OVER , THIS CONVERSION TO UN SIGNIFICANTLY OVER REB AREA ACROSS NATIONAL FO OPPORTUNITY TO ENSURE //IDE x 17,000' x APPROXIMA' 5 BOXES (3' x 5' x 3' 6''). 6 BOXES (3' x 5' x 3' 6''). 8 BOXES AND (4' x 6' 6'' x 5'). 8 ANSFORMERS (50''W x 52''E | INDERGI MATELY HEAD LII DERGRO JILDING DREST L/ SAFE & TELY 50" | ROUND EI 3 MILES. NE THAT V UND AND SAID OVE ANDS. PG. RELIABLE DEEP. | LECTRIC DISTRIBUTION POW THIS UNDERGROUND LINE W WAS DAMAGED DURING THE INSTALLATION OF A NEW, S ERHEAD ELECTRIC LINE IN IT &E HOPES TO INSTALL THE I E POWER IS DELIVERED TO T | R LINE WITH L REPLACE AMP FIRE. A ORTER CIRC PREVIOUS L W ELECTRIC | IN THE HIG APPRXIMA ⁻ S PART OF UIT FROM OCATION C C UNDERGF | HWAY 70 CORRIDOR IN TELY 10 MILES OF THE THE CAMP FIRE CRESTA WILL REDUCE OF ELEVATED/EXTREME ROUND FACILITIES AT | | |
| CONSTRUCTION DRAWINGS AND WATER POLLUTION CONTROL/BEST MANGEMENT PRACTICE PLANS ATTACHED. | PG&E IS PROP BUTTE COUNT BUCKS CREEK RESTORATION THE FIRE RISK FIRE THREAT A THE EARLIEST -TRENCH 10" W -INSTALL (14) # -INSTALL (3) #6 -INSTALL (4) TR -INSTALL (2) RI- TRENCH DETAI -BACKFILL AND -2" GRIND/OVE -SLURRY BACK -ALL WORK TO | OSING TO INSTALL A NEW L Y FOR A SPAN OF APPROXI 1101 12kV ELECTRIC OVER , THIS CONVERSION TO UN SIGNIFICANTLY OVER REB AREA ACROSS NATIONAL FO OPPORTUNITY TO ENSURE //IDE x 17,000' x APPROXIMA' 5 BOXES (3' x 5' x 3' 6''). 5 BOXES (3' x 5' x 3' 6''). 6 BOXES (3' x 5' x 3' 6''). 7 BOXES (3' x 5' x 3' 6''). 7 BOXES (3' x 5' x 3' 6''). 8 BOXES (3' x 5' x 3' 6''). 8 BOXES (3' x 5' x 3' 6''). 7 BOXES (3' X 5' X 5''). 7 BOXES (3' X 5''). 7 | INDERGI MATELY HEAD LII DERGRO JILDING DREST L/ SAFE & TELY 50" 0 x 18"H). DN POLES 0 CCUR. NCH EDO 4" MILL 8 S ROW. | ROUND EI 3 MILES. NE THAT V DUND AND SAID OVE ANDS. PG RELIABLE DEEP. S & (1) SE GE OF PA & FILL. | LECTRIC DISTRIBUTION POW THIS UNDERGROUND LINE W WAS DAMAGED DURING THE DINSTALLATION OF A NEW, S ERHEAD ELECTRIC LINE IN IT &E HOPES TO INSTALL THE I E POWER IS DELIVERED TO T RVICE CLEARANCE POLE. | R LINE WITH L REPLACE AMP FIRE. A ORTER CIRC PREVIOUS L W ELECTRIC E SURROUN | IN THE HIG APPRXIMA ⁻ S PART OF UIT FROM OCATION C C UNDERGF | HWAY 70 CORRIDOR IN TELY 10 MILES OF THE THE CAMP FIRE CRESTA WILL REDUCE OF ELEVATED/EXTREME ROUND FACILITIES AT | | |
| 18. Is a City, County or other public agency involved in the approval of this project? | PG&E IS PROPA BUTTE COUNT BUCKS CREEK RESTORATION THE FIRE RISK FIRE THREAT A THE EARLIEST -TRENCH 10" W -INSTALL (14) # -INSTALL (3) #6 -INSTALL (4) TR -INSTALL (2) RI- TRENCH DETAI -BACKFILL AND -2" GRIND/OVE -SLURRY BACK -ALL WORK TO -CENTER OF TR | OSING TO INSTALL A NEW L Y FOR A SPAN OF APPROXI 1101 12kV ELECTRIC OVER , THIS CONVERSION TO UN SIGNIFICANTLY OVER REB AREA ACROSS NATIONAL FC OPPORTUNITY TO ENSURE VIDE x 17,000' x APPROXIMA' 5 BOXES (3' x 5' x 3' 6"). 6 BOXES (3' x 5' x 3' 6"). 7 BOXES (3' X 5' x 3' 7'). 7 BOXES (3' X 5' x 3' 7'). 7 BOXES (3' X 5' | INDERGI MATELY HEAD LII DERGRO JILDING DREST L/ SAFE & TELY 50" 0 x 18"H). DN POLES 0 CCUR. NCH EDO 4" MILL 8 S ROW. OUTH OF | ROUND EI 3 MILES. NE THAT V UND AND SAID OVE ANDS. PG RELIABLE DEEP. S & (1) SE GE OF PA FILL. | LECTRIC DISTRIBUTION POW THIS UNDERGROUND LINE W WAS DAMAGED DURING THE DINSTALLATION OF A NEW, S ERHEAD ELECTRIC LINE IN IT &E HOPES TO INSTALL THE I E POWER IS DELIVERED TO T RVICE CLEARANCE POLE. VEMENT TO CENTERLINE. | R LINE WITH L REPLACE AMP FIRE. A ORTER CIRC PREVIOUS L W ELECTRIC E SURROUN | IN THE HIG APPRXIMA S PART OF UIT FROM (OCATION C C UNDERGE DING AREA | HWAY 70 CORRIDOR IN TELY 10 MILES OF THE THE CAMP FIRE CRESTA WILL REDUCE OF ELEVATED/EXTREME ROUND FACILITIES AT OF PULGA. | | |
| YES (If "YES", check type of project AND attach environmental documentation and conditions of approval) | PG&E IS PROP BUTTE COUNT BUCKS CREEK RESTORATION THE FIRE RISK FIRE THREAT A THE EARLIEST -TRENCH 10" W -INSTALL (14) # -INSTALL (3) #6 -INSTALL (3) #6 -INSTALL (2) RI- TRENCH DETAI -BACKFILL AND -2" GRIND/OVEI -SLURRY BACK -ALL WORK TO -CENTER OF TF CONSTRUCTIO | OSING TO INSTALL A NEW L Y FOR A SPAN OF APPROXI 1101 12kV ELECTRIC OVER , THIS CONVERSION TO UN SIGNIFICANTLY OVER REB AREA ACROSS NATIONAL FO OPPORTUNITY TO ENSURE VIDE x 17,000' x APPROXIMA' 5 BOXES (3' x 5' x 3' 6''). 6 BOXES (3' x 5' x 3' 6''). 7 BOXES AND (4' x 6' 6'' x 5'). 7 BOXES (3) DISTRIBUTION 8 BOXES (3) DISTRIBUTION 1 CONTRACTOR OF THE TRE 1 CONTRACT | INDERGI MATELY HEAD LII DERGRO JILDING DREST L/ SAFE & TELY 50" 0 x 18"H). DN POLE 0 x 18"H). DN POLE 0 x 18"H). DN POLE 0 x 18"H). DN POLE 0 x 18"H). DN POLE | ROUND EI 3 MILES. NE THAT V UND AND SAID OVE ANDS. PG. RELIABLE DEEP. S & (1) SE GE OF PA FILL. F NORTH I | LECTRIC DISTRIBUTION POW THIS UNDERGROUND LINE W WAS DAMAGED DURING THE DINSTALLATION OF A NEW, S ERHEAD ELECTRIC LINE IN IT &E HOPES TO INSTALL THE I E POWER IS DELIVERED TO T RVICE CLEARANCE POLE. VEMENT TO CENTERLINE. FOG LINE IN SOUTH BOUND ROL/BEST MANGEMENT PRA | R LINE WITH L REPLACE AMP FIRE. A ORTER CIRC PREVIOUS L W ELECTRIC E SURROUN | IN THE HIG APPRXIMA S PART OF UIT FROM (OCATION C C UNDERGE DING AREA | HWAY 70 CORRIDOR IN TELY 10 MILES OF THE THE CAMP FIRE CRESTA WILL REDUCE OF ELEVATED/EXTREME ROUND FACILITIES AT OF PULGA. | | |
| | PG&E IS PROPO BUTTE COUNT BUCKS CREEK RESTORATION THE FIRE RISK FIRE THREAT A THE EARLIEST -TRENCH 10" W -INSTALL (14) # -INSTALL (3) #6 -INSTALL (3) #6 -INSTALL (2) RI- TRENCH DETAI -BACKFILL AND -2" GRIND/OVE -2" GRIND/OVE -2" GRIND/OVE -2LURRY BACK -ALL WORK TO -CENTER OF TF CONSTRUCTIO 18. Is a City, Coun | OSING TO INSTALL A NEW L Y FOR A SPAN OF APPROXI 1101 12kV ELECTRIC OVER , THIS CONVERSION TO UN SIGNIFICANTLY OVER REB AREA ACROSS NATIONAL FO OPPORTUNITY TO ENSURE //IDE x 17,000' x APPROXIMA' 5 BOXES (3' x 5' x 3' 6''). 6 BOXES (3' x 5' x 3' 6''). 7 BOXES (3' x 5' x 3' 6''). 7 BOXES (3' x 5' x 3' 6''). 7 BOXES (3' x 5' x 3' 6''). 8 BOXES (3' x 5' x 3' 6''). 8 BOXES (3' x 5' x 3' 6''). 7 BOXES (3' DOXES (3' DOXES (3''). 7 BOXES (3 | INDERGI MATELY HEAD LID DERGRO JILDING DREST L/ SAFE & TELY 50" 0 x 18"H). DN POLE: 0 x 18"H]. DN POLE: 0 | ROUND EI 3 MILES. NE THAT V UND AND SAID OVE ANDS. PG. RELIABLE DEEP. S & (1) SE GE OF PA GE OF PA FILL. F NORTH I ON CONTI | LECTRIC DISTRIBUTION POW THIS UNDERGROUND LINE V WAS DAMAGED DURING THE INSTALLATION OF A NEW, S ERHEAD ELECTRIC LINE IN IT &E HOPES TO INSTALL THE I E POWER IS DELIVERED TO T RVICE CLEARANCE POLE. VEMENT TO CENTERLINE. FOG LINE IN SOUTH BOUND ROL/BEST MANGEMENT PRA this project? | R LINE WITH L REPLACE AMP FIRE. A ORTER CIRC PREVIOUS L W ELECTRIC E SURROUN | IN THE HIG APPRXIMA S PART OF UIT FROM (OCATION C C UNDERGE DING AREA | HWAY 70 CORRIDOR IN TELY 10 MILES OF THE THE CAMP FIRE CRESTA WILL REDUCE OF ELEVATED/EXTREME ROUND FACILITIES AT OF PULGA. | | |
| | PG&E IS PROPA BUTTE COUNT BUCKS CREEK RESTORATION THE FIRE RISK FIRE THREAT A THE EARLIEST -TRENCH 10" W -INSTALL (14) # -INSTALL (3) #6 -INSTALL (3) #6 -INSTALL (4) TR -INSTALL (2) RI- TRENCH DETAI -BACKFILL AND -2" GRIND/OVE -2" GRIND/OVE -SLURRY BACK -ALL WORK TO -CENTER OF TR CONSTRUCTIO 18. Is a City, Coun | OSING TO INSTALL A NEW L Y FOR A SPAN OF APPROXI 1101 12kV ELECTRIC OVER , THIS CONVERSION TO UN SIGNIFICANTLY OVER REB AREA ACROSS NATIONAL FO OPPORTUNITY TO ENSURE VIDE x 17,000' x APPROXIMA' 5 BOXES (3' x 5' x 3' 6"). 6 BOXES (3' x 5' x 3' 6"). 7 BOXES (3' DOXES | INDERGI MATELY HEAD LIID DERGROU JILDING DREST L/ SAFE & TELY 50" DX 18"H). DN POLES OCCUR NCH EDO 4" MILL & S ROW. OUTH OF POLLUTIO ed in the a | ROUND EI 3 MILES. NE THAT V UND AND SAID OVE ANDS. PG RELIABLE DEEP. S & (1) SE GE OF PA A FILL. F NORTH I ON CONTI A FIRE OF PA | LECTRIC DISTRIBUTION POW THIS UNDERGROUND LINE W WAS DAMAGED DURING THE DINSTALLATION OF A NEW, S ERHEAD ELECTRIC LINE IN IT &E HOPES TO INSTALL THE I E POWER IS DELIVERED TO T RVICE CLEARANCE POLE. VEMENT TO CENTERLINE. FOG LINE IN SOUTH BOUND ROL/BEST MANGEMENT PRA this project? documentation and conditions o | R LINE WITH L REPLACE AMP FIRE. A DRTER CIRC PREVIOUS L WELECTRIC E SURROUN INE. TICE PLANS pproval) | IN THE HIG APPRXIMA S PART OF UIT FROM (OCATION C OUNDERGE DING AREA ATTACHED | HWAY 70 CORRIDOR IN TELY 10 MILES OF THE THE CAMP FIRE CRESTA WILL REDUCE OF ELEVATED/EXTREME ROUND FACILITIES AT A OF PULGA. | | |
| NO (If "NO", please check the category below which best describes the project <u>AND</u> answer questions A - K on page 2) | PG&E IS PROPO BUTTE COUNT BUCKS CREEK RESTORATION THE FIRE RISK FIRE THREAT A THE EARLIEST -TRENCH 10" W -INSTALL (14) # -INSTALL (3) #6 -INSTALL (3) #6 -INSTALL (2) RI- TRENCH DETAI -BACKFILL AND -2" GRIND/OVEI -SLURRY BACK -ALL WORK TO -CENTER OF TF CONSTRUCTIO 18. Is a City, Coun | OSING TO INSTALL A NEW L Y FOR A SPAN OF APPROXI 1101 12kV ELECTRIC OVER , THIS CONVERSION TO UN SIGNIFICANTLY OVER REB AREA ACROSS NATIONAL FO OPPORTUNITY TO ENSURE //IDE x 17,000' x APPROXIMA' 5 BOXES (3' x 5' x 3' 6''). BOXES AND (4' x 6' 6'' x 5'). RANSFORMERS (50''W x 52''E SER POLES (3) DISTRIBUTION ILS: D PAVING RESTORATION TO RLAY OUTSIDE OF THE TRE (FILL PER CALTRANS SPEC) BE DONE WITHIN CALTRAN RENCH TO BE APPROX. 2' S DN DRAWINGS AND WATER I ity or other public agency involv ES'', check type of project AND a cital DEVELOPMENT DUILDIN | INDERGI MATELY HEAD LII DERGRO JILDING DREST L/ SAFE & TELY 50" 0 x 18"H). DN POLES 0 x 18"H]. DN POLES 0 | ROUND EI 3 MILES. NE THAT V VUND AND SAID OVE ANDS. PG RELIABLE DEEP. S & (1) SE GE OF PA FILL. FNORTH I ON CONTI Approval of rironmental RADING | LECTRIC DISTRIBUTION POW THIS UNDERGROUND LINE V WAS DAMAGED DURING THE DINSTALLATION OF A NEW, S ERHEAD ELECTRIC LINE IN IT & EHOPES TO INSTALL THE I POWER IS DELIVERED TO T RVICE CLEARANCE POLE. VEMENT TO CENTERLINE. FOG LINE IN SOUTH BOUND ROL/BEST MANGEMENT PRA this project? documentation and conditions o | R LINE WITH L REPLACE AMP FIRE. A DRTER CIRC PREVIOUS L W ELECTRIC E SURROUN NE. TICE PLANS pproval) | IN THE HIG APPRXIMA S PART OF UIT FROM (OCATION C C UNDERGF DING AREA ATTACHED | HWAY 70 CORRIDOR IN TELY 10 MILES OF THE THE CAMP FIRE CRESTA WILL REDUCE OF ELEVATED/EXTREME ROUND FACILITIES AT A OF PULGA. | | |
| Image: Driveway or Road Approach, Reconstruction, Maintenance or Resurfacing Image: Fence Image: Driveway or Road Approach, Reconstruction, Maintenance or Resurfacing Image: Fence Image: Driveway or Road Approach, Reconstruction, Maintenance or Resurfacing Image: Fence Image: Driveway or Road Approach, Reconstruction, Maintenance or Resurfacing Image: Fence Image: Driveway or Road Approach, Reconstruction, Maintenance or Resurfacing Image: Fence Image: Driveway or Road Approach, Reconstruction, Parades and Celebrations Image: Fence Image: Driveway or Road Approach, Reconstruction, Parades and Celebrations Image: Fence Image: Driveway or Road Approach, Reconstruction, Parades and Celebrations Image: Fence Image: Driveway or Road Approach, Reconstruction, Parades and Celebrations Image: Fence Image: Driveway or Road Approach, Reconstruction, Parades and Celebrations Image: Fence Image: Driveway or Road Approach, Reconstruction, Parades and Celebrations Image: Fence Image: Driveway or Road Approach, Reconstruction, Parades and Celebrations Image: Fence Image: Driveway or Road Approach, Reconstruction, Parades and Celebrations Image: Fence Image: Driveway or Road Approach, Reconstruction, Parades and Celebrations Image: Fence Image: Driveway or Road Approach, Reconstruction, Parades and Celebrations < | PG&E IS PROPO BUTTE COUNT BUCKS CREEK RESTORATION THE FIRE RISK FIRE THREAT A THE EARLIEST -TRENCH 10" W -INSTALL (14) # -INSTALL (3) #6 -INSTALL (3) #6 -INSTALL (4) TF -INSTALL (2) RI- TRENCH DETAI -BACKFILL AND -2" GRIND/OVEI -2" GRIND/OVEI -SLURRY BACK -ALL WORK TO -CENTER OF TF CONSTRUCTIO 18. Is a City, Coun Q YES (IF"Y COMMER CATEGOR | OSING TO INSTALL A NEW L Y FOR A SPAN OF APPROXI 1101 12kV ELECTRIC OVER , THIS CONVERSION TO UN SIGNIFICANTLY OVER REB AREA ACROSS NATIONAL FO OPPORTUNITY TO ENSURE VIDE x 17,000' x APPROXIMA' 5 BOXES (3' x 5' x 3' 6''). BOXES (3' x 5' x 3' 6''). BOXES AND (4' x 6' 6'' x 5'). BOXES AND (4' x 6' 6'' x 5'). CANSFORMERS (50''W x 52''E SER POLES (3) DISTRIBUTIO ILS: O PAVING RESTORATION TO RLAY OUTSIDE OF THE TRE (FILL PER CALTRANS SPEC BE DONE WITHIN CALTRAN RENCH TO BE APPROX. 2' S ON DRAWINGS AND WATER I INTY OF OTHER PUBLIC AGENCY INVOLV ES'', check type of project AND C CIAL DEVELOPMENT IN BUILDIN RICALLY EXEMPT IN REGATIVE | INDERGI MATELY HEAD LII DERGRO JILDING DREST L/ SAFE & TELY 50" 0 x 18"H). DN POLE: 0 x 18"H]. DN POLE: 0 | ROUND EI 3 MILES. NE THAT V UND AND SAID OVE ANDS. PG. RELIABLE DEEP. S & (1) SE GE OF PA FILL. NORTH I ON CONTI Inpproval of rironmental RADING | LECTRIC DISTRIBUTION POW THIS UNDERGROUND LINE W WAS DAMAGED DURING THE UNSTALLATION OF A NEW, S ERHEAD ELECTRIC LINE IN IT &E HOPES TO INSTALL THE I E POWER IS DELIVERED TO T RVICE CLEARANCE POLE. VEMENT TO CENTERLINE. FOG LINE IN SOUTH BOUND ROL/BEST MANGEMENT PRA this project? documentation and conditions o] OTHER | R LINE WITH L REPLACE AMP FIRE. A DRTER CIRC PREVIOUS L WELECTRIC E SURROUN INE. TICE PLANS pproval) | IN THE HIG APPRXIMA S PART OF UIT FROM (OCATION C OUNDERGE DING AREA ATTACHED | HWAY 70 CORRIDOR IN TELY 10 MILES OF THE THE CAMP FIRE CRESTA WILL REDUCE OF ELEVATED/EXTREME ROUND FACILITIES AT A OF PULGA. | | |

ADA NOTICE: For individuals with sensory disabilities, this document is available in alternate formats. For information, call (916) 445-1233, TTY 711, or write to Records and Forms Management, 1120 N Street, MS-89, Sacramento, CA 95814.

Page 2 of 3

PERMIT NO.

The following questions must be completed when a City, County or other public agency IS NOT involved in the approval of this project.

Your answers to these questions will assist Departmental staff in identifying any physical, biological, social or economic resources that may be affected by your proposed project within State Highway right-of-way and to determine which type of environmental studies may be required to approve your application for an encroachment permit.

It is the applicant's responsibility for the production of all required environmental documentation and supporting studies and in some cases this may be costly and time consuming. If possible, attach photographs of the location of the proposed project. Please answer these questions to the best of your ability. Provide a description of any "YES" answers (type, name, number, etc.)

A. Will any existing vegetation and/or landscaping within State Highway right-of-way be disturbed? NO

| C. Is the NO | proposed project located within five miles of the coast line? |
|------------------|---|
| D. Will t YES | he proposed project generate construction noise levels greater than 86 dBA (e.g. jack-hammering, pile driving)? |
| E. Will t NO | he proposed project incorporate land from a public park, recreation area or wildlife refuge open to the public? |
| F. Are t NO | here any recreational trails or paths within the limits of the proposed project or State Highway right-of-way? |
| G. Will t NO | he proposed project impact any structures, buildings, rail lines or bridges within State Highway right-of-way? |
| H. Will t NO | he proposed project impact access to any businesses or residences? |
| I. Will t NO | he proposed project impact any existing public utilities or public services? |
| J. Will t NO | he proposed project impact existing pedestrian facilities, such as sidewalks, crosswalks or overcrossings? |
| K. Will i NO | new lighting be constructed within or adjacent to State Highway right-of-way? |
| • | oject cause a substantial change in the significance of a historical resource (45 years or older), or cultural resource? TES VES VO |

| 21. Is work being done on the applicant's property? | ES 🖌 NO (li | "YES", attach | 6 complete sets o | of site and grading | ı plans.) | |
|---|----------------------------|----------------------|--------------------|--------------------------|----------------------------|--------------|
| 22. Will the proposed project require the disturbance of soil? | | √ YES | NO | | | |
| If "YES", estimate the area <u>within</u> State Highway right-of-w | ay in square feet AND | acres: | 15,000 | _ (ft ²) AND | 0.34 | _ (acres) |
| estimate the area <u>outside</u> of State Highway right-of-w | ay in square feet AND | acres: | | (ft ²) AND | | _ (acres) |
| 23. Will the proposed project require dewatering? | YES | √ NO | | | | |
| If "YES", estimate total gallons AND gallons/month. | | (gallons) A | ND | | (gallons/month) | |
| | ATER | | | | | |
| (*See Caltrans SWMP for definitions of non-storm water di | scharge: http://www.de | ot.ca.gov/hq/en | v/stormwater/ind | ex.htm) | | |
| 24. How will any storm water or ground water be disposed of fro | m within or near the lir | nits of the propo | osed project? | | | |
| Storm Drain System Combined Sewer / Storm System | stem 🗌 Storr | n Water Retent | ion Basin | | | |
| Other (explain): Paved areas not anticipated as the disturbed soil is | to be contained on the pav | ement; Fiber rolls a | and check dams are | to be placed such that | t water is not directed or | the roadway. |

PERMIT NO.

PLEASE READ THE FOLLOWING CLAUSES PRIOR TO SIGNING THIS ENCROACHMENT PERMIT APPLICATION.

The applicant, understands and herein agrees that an encroachment permit can be denied, and/or a bond required for non-payment of prior or present encroachment permit fees. Encroachment Permit fees may still be due when an application is withdrawn or denied, and that a denial may be appealed, in accordance with the California Streets and Highways Code, Section 671.5. All work shall be done in accordance with the California Department of Transportation's (Department) rules and regulations subject to inspection and approval.

The applicant, understands and herein agrees to the general provisions, special provisions and conditions of the encroachment permit, and to indemnify and hold harmless the State, its officers, directors, agents, employees and each of them (Indemnitees) from and against any and all claims, demands, causes of action, damages, costs, expenses, actual attorneys' fees, judgments, losses and liabilities of every kind and nature whatsoever (Claims) arising out of or in connection with the issuance and/or use of this encroachment permit and the placement and subsequent operation and maintenance of said encroachment for: 1) bodily injury and/or death to persons including but not limited to the Applicant, the State and its officers, directors, agents and employees, the Indemnities, and the public; and 2) damage to property of anyone. Except as provided by law, the indemnification provisions stated above shall apply regardless of the existence or degree of fault of Indemnities. The Applicant, however, shall not be obligated to indemnify Indemnities for Claims arising from the sole negligence and willful misconduct of State, its officers, directors, agents or employees.

An encroachment permit is not a property right and does not transfer with the property to a new owner.

<u>COMPLIANCE WITH THE AMERICANS WITH DISABILITIES ACT (ADA) OF 1990</u>: All work within State Highway right-of-way shall be conducted in compliance with all applicable Federal, State and Local Access laws, regulations and guidelines including but not limited to the Americans with Disabilities Act Accessibility Guidelines (ADAAG), the Public Rights-of-Way Guidelines (PROWG), the Department's current Design Information Bulletin 82, "Pedestrian Accessibility Guidelines for Highway Projects", the Department's Encroachment Permits Manual and encroachment permit.

DISCHARGES OF STORM WATER AND NON-STORM WATER: All work within State Highway right-of-way shall be conducted in compliance with all applicable requirements of the National Pollutant Discharge Elimination System (NPDES) permit issued to the Department, to govern the discharge of storm water and non-storm water from its properties. Work shall also be in compliance with all other applicable Federal, State and Local laws and regulations, and with the Department's Encroachment Permits Manual and encroachment permit. Compliance with the Department's NPDES permit requires amongst other things, the preparation and submission of a Storm Water Pollution Protection Plan (SWPPP), or a Water Pollution Control Program (WPCP), and the approval of same by the appropriate reviewing authority prior to the start of any work. Information on the requirements may also be reviewed on the Department's Construction Website at:

http://www.dot.ca.gov/hg/construc/stormwater

| 25 NAME OF APPLICANT OR ORGANIZATION | | | | |
|---|---------------------------|-----------|-----------------|----------------------|
| | | | | |
| PERMIT IS TO BE MAILE | D (Include City and Zip C | Code) | | |
| E-MAIL ADDRESS | | | FAX NUMBER | |
| 26. NAME OF AUTHORIZED AGENT / ENGINEER (A "Letter of authorization" is r | equ | SALET | TER OF AUTHORIZ | ATION ATTACHED? |
| | | | YES | ✓ NO |
| ADDRESS OF AUTHORIZED AGENT / ENGINEER (Include City and Zip Code) | | I | | |
| E-MAIL ADDRESS | PHONE NUMBER | [| FAX NUMBER | |
| 27. NAME OF BILLING CONTACT (Same as #25 🔽 Same as #26 🗌) | | | | |
| BILLING ADDRESS WHERE INVOICE(S) IS/ARE TO BE MAILED (Include City and | l Zip Code) | | | |
| E-MAIL ADDRESS | PHONE NUMBER | 1 | FAX NUMBER | |
| 28. 9 | | 30.TITLE | | 31. DATE |
| | | Land Agen | t | 6/4/2020 |
| 28. : // | | Land Agen | t | 31. date 6/4/2020 |

PGE-DIXIE-NDCAL-000007690