











5









The top 50 highe	st risk-miles ren	esen	+ 1 4%	of the tr	ntal risk		
PGSE					Juan mon		
	Protection Zone Name	Miles	Cumulative	Mean MAVE	Total CR7 MANE	% total risk	
	Protection Long Hame	Willes	Miles	Score	Total Cr 2 MiATr	reduced1	
	OREGON TRAIL						
25,000 g Cumulative CP2 Risk	1103C05391	0.02	0.02	3.16	5.16	0.01%	
	CALPINE 1144276-G	0.01	0.03	1.88	1.88	0.01%	
	MARIPOSA 210190130	0.08	0.12	1.69	1.69	0.02%	
	SHEPHERD 2111688294	0.01	0.13	1.44	1.44	0.02%	
	MIDDLETOWN 1103CB	0.05	0.18	1.30	5.20	0.03%	
	OPPER DAKE HOLDER	1.00	1.17	1.26	5.77	0.04%	
	MIDDLETOWN	6.00	7.65	1-23	18.01	0.17%	
	1102302610	4.21	12.04	0.92	48.56	0.29%	
	KONOCTI 1102965078	5.61	17.65	0.88	51.70	0.42%	
	MARIPOSA 2102241564	0.64	18.29	0.77	10.81	0.44%	
	BUCKS CREEK 1101CB	4.29	22.58	0.73	9.55	0.47%	
	DEL MAR 2109378446	0.09	22.67	0.73	2.19	0.47%	
	MIDDLETOWN 1102CB	0.42	23.08	0.72	8.70	0.49%	
	MIDDLETOWN 1103830	24.80	47.88	0.72	151.83	0.87%	
0	Based on assuming an OH ha	rdening risk	mitigation (62% ris	k reduction effect	(veness)		
0 5,000 10,000 15,000 20,000	25,000						
Circuit Protection Zone (CPZ) Ranked Miles		Key Takeaway					
	On each project a more	granular ri	isk spend efficier	tcy evaluation	will be performed o	in an NPV basis	
	(total cost of ownership	(total cost of ownership for the asset life) once the project is fully scoped similar to what is shown					
	on the Keswick 110115	on the Keswick 11011586 circuit protection zone on the next slide					

10









PGE-DIXIE-NDCAL-000011993



PGE-DIXIE-NDCAL-000011994



PGE-DIXIE-NDCAL-000011995









19



