From:

To: CC: Sent: Subject: Attachments:

3/2/2021 1:13:43 PM RE: EVM QC/QA Public Safety LTIP Target Setting V48.pptx

Is the attached the latest version? If not, can you send it to me?

Some of the measures included in this email are contemplated as additional precautionary measures intended to further reduce the risk of future ignitions following the 2017 and 2018 wildfires.

From:	
Sent: Monday, January 11, 2021 9:19 PM	
To:	
Cc:	
Subject: EVM QC/QA	

wanted the statistical sampling weekly, hence the change back to weekly from what **see the** sent in. I am attaching the full deck for your reference. Sincerely appreciate the quick turnaround you provided.



EVM Quality Control – Layers of Defense

Enhanced Vegetation Management Work Performed by Contractors

Layer 1: Vegetation Management Quality Control Team

2020

- Primarily rely on contractor expertise for directly observing contract tree crews performing work
- Work verification is performed on 100% of only the EVM program each year, typically within an average of 14 days following completed work
- Current workforce encompasses a 1:5 ratio of QV inspector to tree crews with 100 QV contract inspectors staffed at peak

2021

- Ramp-up verification to include all vegetation management work (T&D), in HFTD areas on a 100% basis; Shift towards near real-time quality assessment
- Proposed QV workforce of ~360 FTE, steady-state, targeting a 1:3 ratio of QV inspector to tree crews
- Staff the VM team with PG&E inspection employees to ensure internal expertise on all aspects of Vegetation work, targeting a 1:20 ratio of VMI to tree crew

Layer 2: Electric Operations Quality Assurance Team & Veg Mgmt PMO 2020

- Presented a one-time Quality Assurance Audit of the EVM process to identify improvement opportunities (audit completed in 2019)
- Reported to CPUC's Wildfire Safety Division and Federal Monitor; VM team addressed findings & coordinated follow-up actions

2021

- Quality Assurance Assessments to be performed on a weekly basis using a statistical sampling approach for completed work
- Conduct two EVM QA audits to assess efficacy of the EVM program (1st audit) and evaluate the EVM process (2nd audit)
- Dedicated & Specialized Arborist Team, part of the VM organization, to directly liaison with Federal Monitor and CPUC's Wildfire Safety Division to be responsive on a timely basis to potential field audit findings

PG&E | Sr. Director, Risk – Special Projects

There is no such thing as a small act of kindness; every act creates a ripple with no logical end.