





2







PGE-DIXIE-NDCAL-000016157

5









The top 50 bighest ri	iek milee renr	acan	F 1 / 0/ /	of the tr	tal rick		
PG F	lak-innea repi	esen	L 1.470 V	or me to	nai lisk		
	And the second second second		Cumulative	Mean MAVE		% total risk	
	Protection Zone Name	Miles	Miles	Score	IOLAI CP2 MAVE	reduced!	
	OREGON TRAIL			10000		10000000	
25,000 - Cumulative CPZ Risk 20,000 - 25,5000 -	1103CUS391	0.02	0.02	3.16	3.16	0.01%	
	CALPINE 1144276-G	0.01	0.03	1.88	1.88	0.01%	
	MARIPOSA 210190130	0.08	0.12	1.69	1.69	0.02%	
	SHEPHERD 2111688294	0.01	0.13	1.44	1.44	0.02%	
	UDDERLAKE 1103CB	1.00	0.18	1.30	5.20	0.03%	
	SPPER CALE LIGITUR	6.66	7.92	1.26	49.94	0.04%	
	MIDDLETOWN	0.00			70.07	Viarra	
	1102302610	4.21	12.04	0.92	48.56	0.29%	
	KONOCTI 1102965078	5.61	17.65	0.88	51.70	0.42%	
	MARIPOSA 2102241564	0.64	18.29	0.77	10.81	0.44%	
	BUCKS CREEK 1101CB	4.29	22.58	0.73	9.55	0.47%	
5,000 -	DEL MAR 2109378445	0.09	22.67	0.73	2.19	0.47%	
	MIDDLETOWN 1102CB	0.42	23.08	0.72	8.70	0.49%	
	MIDDLETOWN 1103830	24.80	47.88	0.72	151.83	0.87%	
0 5000 10000 15000 20000 25000	<sup>3</sup> Based on assuming an OH ha	Based on assuming an OH hardening risk mitigation (62% risk reduction effectiveness)					
· · · · · · · · · · · · · · · · · · ·							
Circuit Protection Zone (CP2) Ranked Milles	Key Takeaway						
	on the Keswick and a set interstep for the asset life) once the project is fully scoped similar to what is shown						
	on the Kerwick	CITCLUT IN					
	on the Keswick	circuit p	rotection zone c	an the next since			























20



