

From: [REDACTED]
To: [REDACTED]
Sent: 4/8/2021 5:08:15 PM
Subject: Site Visit Updates

Hi [REDACTED]

We could start at 8am and have no problem being back by 1pm and likely noon. That said if the team would like to keep it at a 7am meet up, I have no problem with that.

The suggestion was made today that we start our meeting at Starbucks in Chico so those that may have been traveling to get to Chico will have access to the restroom before we head to the job site. I think this would be a wise move if it's not too late to change. The address is as follows.

Starbucks
2485 Notre Dame Blvd 750, Chico, CA 95928

Attendance:

[REDACTED]

I should hear on Plumas County tomorrow. They will likely not be involved on this project. I'll know tomorrow. Additionally, David Hawks was going to reach out to Cal Fire this afternoon. I will have to follow up with those attendees if any tomorrow.

Circuit	Project / Device	2019 Risk Rank	2021 Risk Rank	2021 POI Rank	2021 Consequence Rank
Bucks Creek 1101	35217268 35224712 35224173 /CB	1365	11	181	200

Please let me know as soon as you are able to get something we can give to the agencies in writing that explains the intent of the meeting to help set expectations.

[REDACTED]
Project Manager
Mobile: [REDACTED]
Office: [REDACTED]

Internal: [REDACTED]

Email: [REDACTED]

Pacific Gas and Electric Company