

Message

From: Steve Burd [steve.burd@safeway.com]
Sent: 5/24/2011 1:03:52 AM
To: Elizabeth Holmes [/O=Theranos Organization/OU=First Administrative Group/cn=Recipients/cn=eholmes]
Subject: FW: Mini-Lab Design
Attachments: MiniLab Built_in.pdf; Scan_PCW4EASTM1_20110523_193517 (2).pdf

The first attachment labeled minilab is a crude sketch of what I am suggesting. Ignore the screen in front. I would prefer to mount the screen on the wall to the left of the unit. Also imagine a tight fit in front with ample ventilation. The front itself would be made of wood and stainless steel. The perimeter might be rimmed in stainless, each cartridge drawer might be stainless or trimmed and the two units might have a divider of stainless.

It is not my intent to mess with your design. I am merely trying to move the process forward. A final decision can wait for your visit but it would be helpful if you could react to the "built-in" concept.

-----Original Message-----

From: Geoff Edwards
Sent: Monday, May 23, 2011 5:38 PM
To: Steve Burd
Cc: Jim Fessler; Chris Phillips (Corp Design)
Subject: Mini-Lab Design

Steve,

Attached is a sketch showing the mini-lab as a built-in unit similar to the photo I sent earlier.

Also attached is a rendering of a electronic kiosk like you would find in an airport or retailer, marked up to show what something like this would look like is it had the 12 cartridge bays. I have some other examples of free standing and wall mounted kiosks if you want me to forward those to you.

Let us know if you need additional sketches or renderings.

Thanks,

Geoff

"Email Firewall" made the following annotations.

Warning:

All e-mail sent to this address will be received by the corporate e-mail system, and is subject to archival and review by someone other than the recipient. This e-mail may contain proprietary information and is intended only for the use of the intended recipient(s). If the reader of this message is not the intended recipient(s), you are notified that you have received this message in error and that any review, dissemination, distribution or copying of this message is strictly prohibited. If you have received this message in error, please notify the sender immediately.

=====



