

Message

**From:** George, Tomson [tomson.george@walgreens.com]  
**Sent:** 4/18/2017 11:09:01 PM  
**To:** Daugherty, Patricia [patricia.daugherty@walgreens.com]  
**Subject:** GFD Aug 1998  
**Attachments:** GFD Aug 1998.pdf

Earliest version of GFD is attached. I have saved a number of files below. My files do NOT have "version" in the file name.

Computer > Corp (E) > ADM > Hlthsvcs > RXIntegrity > GFD and TDGFD > GFD Versions				
Open Print New folder				
ites	Name	Date modified	Type	Size
ktop	GFD April 2003	3/20/2017 10:47 A...	Microsoft Word D...	18 KB
wnloads	GFD Aug 1998	3/20/2017 10:50 A...	Microsoft Word D...	17 KB
ent Places	GFD Aug 2013	3/20/2017 9:57 AM	Adobe Acrobat D...	167 KB
	GFD August 2013 version	3/6/2017 12:35 PM	Adobe Acrobat D...	167 KB
ries	GFD Feb 2005	3/20/2017 10:38 A...	Microsoft Word D...	18 KB
uments	GFD Feb 2007	3/20/2017 10:05 A...	Microsoft Word 97...	30 KB
ic	GFD February 2007 version	3/6/2017 12:18 PM	Adobe Acrobat D...	141 KB
ures	GFD February 2011 version	3/6/2017 12:20 PM	Adobe Acrobat D...	116 KB
eos	GFD February 2014 version	3/6/2017 12:35 PM	Adobe Acrobat D...	360 KB
	GFD July 2011 version	3/6/2017 12:31 PM	Adobe Acrobat D...	139 KB
puter	GFD July 2011	3/20/2017 10:02 A...	Microsoft Word 97...	49 KB
	GFD June 2003	3/20/2017 10:44 A...	Microsoft Word D...	18 KB
ork	GFD June 2004	3/20/2017 10:41 A...	Microsoft Word D...	18 KB
	GFD June 2006	3/20/2017 10:33 A...	Microsoft Word D...	22 KB
	GFD June 2011 version	3/6/2017 12:31 PM	Adobe Acrobat D...	139 KB
	GFD June 2011	3/20/2017 10:03 A...	Microsoft Word 97...	49 KB
	GFD June 2012 version	3/6/2017 12:34 PM	Adobe Acrobat D...	395 KB
	GFD June 2012	3/20/2017 10:09 A...	Adobe Acrobat D...	395 KB
	GFD March 2003	3/20/2017 10:49 A...	Microsoft Word D...	18 KB
	GFD March 2007 version	3/6/2017 12:19 PM	Adobe Acrobat D...	141 KB
	GFD March 2007	3/20/2017 10:05 A...	Microsoft Word 97...	29 KB
	GFD May 2016 version	3/6/2017 12:36 PM	Adobe Acrobat D...	307 KB
	GFD Nov 2005	3/20/2017 10:36 A...	Microsoft Word D...	20 KB
	GFD Nov 2011	3/20/2017 10:01 A...	Microsoft Word 97...	49 KB
	GFD November 2011 version	3/6/2017 12:33 PM	Adobe Acrobat D...	140 KB

PLAINTIFFS TRIAL  
EXHIBIT  
**P-19745\_00001**

## Good Faith Practices (Revised 08/01/98)

The pharmacist **must** use the elements of Good Faith dispensing in conjunction with state and federal controlled substances when filling **all** prescriptions. The pharmacist must determine if a prescription for a controlled substance is dispensed for a legitimate medical purpose.

### Elements

The elements of Good Faith dispensing that should alert a pharmacist to questionable circumstances are:

- Numerous controlled substance prescriptions written by the same prescriber or numerous prescribers.
- Numerous prescriptions submitted by the same person.
- Increased frequency of prescriptions for the same controlled drug:
  - by one prescriber
  - for large numbers of patients
  - For quantities beyond those normally prescribed
- Unusual dosages or instructions in conflict with approved labeling
- Unusual geographical distances between patient, pharmacist, and prescriber
- Consistent prescription of habit-forming drugs
- Lack of consistency of prescriber/patient relationship

If a pharmacist becomes aware of circumstances including one or more elements of Good Faith dispensing, the pharmacist should:

- Not dispense the drug
- Notify the Pharmacy Supervisor

### Verbal Prescriptions

**Do not** accept verbal prescriptions for new patients and/or new prescribers unless:

- You verify the identity of the prescriber.
- You verify that the prescriber has authority to prescribe controlled substances.

**Note:** The telephone number received via verbal prescription must match the number in the telephone directory.

Regular dispensing of verbal controlled drug prescriptions to the same patient from the same or different prescribers **must not** continue until the pharmacist establishes existence of a patient-prescriber relationship and/or a legitimate medical purpose for the medication.

The pharmacist **must** exercise professional judgement regarding the patient's continued need for controlled substances. The pharmacist must contact the prescriber when all elements of Good Faith dispensing cannot be met.

Notify your Pharmacy Supervisor if a prescriber fails to provide hard copy for a Schedule II telephone prescription. The Pharmacy Supervisor will evaluate the situation and contact the appropriate regulatory agencies, if necessary.

### **Related Topics:**

- Policy:Accepting and Filling New Prescriptions
- Procedure: Accepting and Filling New Prescriptions
- Policy: Partial Fills