


PLAINTIFFS TRIAL EXHIBIT
P-10788 00001

Here's How to Save:

- Remove your Instant Savings Card from your kit.
- Bring the card to your pharmacy when you fill your prescription and save up to \$25.
 Be sure to keep your card for future use.
 (See enclosed eligibility rules.)
- Bring your card every time you fill your prescription and save up to \$25 off your next 11 prescriptions for a total savings of up to \$300.
- The card must be activated by 12-31-10 to receive up to 12 redemptions.

Note: If your pharmacy does not accept the card, obtain your savings using the mail-in rebate form included with this kit.

Please see inside for eligibility rules.



AVINZA^o is a registered trademark of King Pharmaceuticals Research and Development, Inc.

DILAUDID® is a registered trademark of Abbott Laboratories

KADIAN® is a registered trademark of Alpharma Pharmaceuticals LLC

MS CONTIN® is a registered trademark of Purdue Pharma LP

OPANA® is a registered trademark of Endo Pharmaceuticals

OPANA® ER is a registered trademark of Endo Pharmaceuticals

ORAMORPH® SR is a registered trademark of Xanodyne Pharmaceuticals. Inc.

OXYCONTIN® is a registered trademark of Purdue Pharma LP

PERCOCET® is a registered trademark of Endo Pharmaceuticals

ROXICODONE® is a registered trademark of Xanodyne

TYLENOL[®] WITH CODEINE is a registered trademark of Ortho-McNeil Pharmaceutical. Inc.

TYLOX® is a registered trademark of Ortho-McNeil Pharmaceutical, Inc

VICODIN® is a registered trademark of Abbott Laboratories

7VDONE® is a registered trademark of Endo Pharmaceuticals

Taking a long-acting opioid: What does it mean to me?

The management of moderate to severe chronic pain can be achieved in different ways. This brochure answers some of the most frequently asked questions about the use of long-acting opioids to treat moderate to severe chronic pain.

The information contained in this brochure does not replace talking with your healthcare provider about your pain treatment options including medication.

This section of the brochure has 4 sections:

Section 1 Long-Acting Opioids 2 Section 2 What you should know about taking 4 long-acting opioids 4 Section 3 Common Side Effects 6 Section 4 Questions to ask your healthcare provider 8

SECTION 1

Long-Acting Opioids

What is a long-acting opioid?

Long-acting opioids are a type of pain medicine used for moderate to severe chronic pain that lasts most of the day. They are sometimes called "controlled-release" or "extended-release" because the medicine is gradually released into the body over an 8-24 hour period or longer. Examples of long-acting opioids taken by mouth include:

- AVINZA® (morphin sulfate extended-release capsules)
- KADIAN® (morphin sulfate extended-release) Capsules
- MS CONTIN® (morphin sulfate controlled-release) Tablets
- OPANA® ER (oxymorphone hydrochloride) Extended-Release Tablets
- ORAMORPH® SR (morphine sulfate)
 Sustained-Release Tablets
- OXYCONTIN® (oxycodone HCI controlled-release) Tablets

How do long-acting opioids differ from short-acting opioids?

Compared to long-acting opioids, short-acting opioids are primarily used to treat acute pain and are taken as needed. Short-acting opioids may be used alone or combined with opioid or non-opioid analgesics. Examples of short-acting opioids include the following products:

- TYLENOL® WITH CODEINE (acetaminophen and codeine phosphate) Tablets
- ZYDONE® (hydrocodone bitartrate and acetaminophen tablets, usp)
- VICODIN® (hydrocodone bitartrate and acetaminophen tablets, usp)
- DILAUDID® (hydromorphone hydrochloride)
- PERCOCET® (oxycodone and acetaminophen tablets, usp)
- TYLOX® (oxycodone and acetaminophen capsules, usp)
- ROXICODONE® (oxycodone hydrochloride tablets, usp)
- · OPANA® (oxymorphone hydrochloride) Tablets

2